

**Coil Cleaner
(Air Conditioning System)
RXSOL-16-1697-005**



RX Marine International

RX MARINE INTERNATIONAL

Introduction

RXSOL-16-1697 is a concentrated, high-foaming outdoor condenser coil cleaner and brightener. It effectively foams away stubborn, "baked on" lint, smoke film, insects, feathers, grass, leaves and other deposits from air cooled condenser coils. The expanding foam pushes contamination out of the coil and is easily rinsed away with water. In addition to removing contaminants, the RXSOL COIL CLEANER formula effectively restores efficiency and reduces operating cost by removing hidden oxidation from the coil surfaces.

Application

RXSOL-16-1697 is a special formulation of solvents and acids specifically blended for use in cleaning and brightening outdoor aluminum finned air cooled condenser coils. Produced and packaged in our ISO 9001 registered facility.

USES

Deep cleaning of outdoor condenser coils to restore efficiency and increase performance of the system.

**Coil Cleaner
(Air Conditioning System)
RXSOL-16-1697-005**



DILUTION RATIOS

Because RXSOL-16-1697 is highly concentrated, it must be diluted prior to use. Dilution also improves penetration into the coil and increases product performance. Actual dilution ratios will vary according to the application. The following is intended as a general guideline:

- Up to 8-10 parts water to 1 part RXSOL COIL CLEANER for light cleaning and brightening, when expanding foam is not required.
- 3-5 parts water to 1 part RXSOL COIL CLEANER for foaming action on difficult cleaning tasks.
- 1-2 parts water to 1 part RXSOL COIL CLEANER for use as a high foaming, aluminum finned, air cooled condenser coil cleaner. Use the minimum concentration required to accomplish your task.

Note

Do not use Acti-Brite at concentrations greater than 1:1 (less than 1 part water to 1 part Acti-Brite). Rinse the treated surfaces as well as the surrounding area thoroughly after use.

APPLICATION METHODS

Low pressure, acid resistant tank sprayers are recommended. Regardless of application method, avoid inhalation of mist or contact of liquid or mist



**Coil Cleaner
(Air Conditioning System)
RXSOL-16-1697-005**



SUGGESTED INSTRUCTIONS FOR USE

- When handling RXSOL-16-1697-005 or any other strong chemical, be sure to wear chemical impervious gloves, apron and splash goggles.
- Determine required dilution ratio for the specific application. It is recommended to start with a dilution ratio of 10:1 and increase concentration until the desired results are achieved.
- As with mixing all acids, place the desired amount of water in to the tank and then add RXSOL-16-1697-005.
- Turn off fans and allow hot coils to cool before applying.
- Using plain water, wet both the condenser coil as well as the area surrounding the equipment. Wetting the coil with water aids in product penetration and performance.

CAUTIONARY NOTES

This product is for professional use only. At full strength:

- It will cause burns to skin and eyes.
- Ingestion will cause severe and potentially fatal gastric distress.
- Vapors are harmful and may cause respiratory tract irritation.
- May be harmful to plants.

Refer to MSDS sheet for further information. MSDS sheets are available at your local wholesaler or by calling Virginia KMP.

PACKAGE SIZES AVAILABLE

RXSOL-16-1697 is available in 500 ML, 1Ltrs, 5Ltrs, 25 and 55 gallon containers.